





ILYAD Fresnel TW

Projector equipped with a fixed Fresnel optical lens and a bicolor LED.

Suitable to achieve large, plain and homogeneous light effects, hot spot free.

The ILYAD Fresnel Tunable White is equipped with a power supply enabling the light intensity adjustment as well as the mix of white lights by two on-board potentiometers or via Bluetooth or DALI. Tilt 200°.

Azimuth 365°.

Several mounting possibilities: 3 circuits track adaptor, hook mounting, tieback mounting. Other mounting options on demand.

Adjustments and positions maintained by friction and locking screw.



Technical specifications

Light source type Led Power Rating Beam angle

Color temperature (Step Macadam (SDCM2)

Led nominal output

CRI (Ra)

Lumen maintenance L70

Dimming/control

Thermal dissipation Housing materials

Weight Finish LED 32 W

42° or 61°

2 700 K to 6 000 K

2840 lm (constant output)

> 90

50 000 operating hours

Two potentiometer / DALI 2

Casambi Passive

Body: anodized aluminium -

painted steel

PMMA Fresnel optical lens

1,500 kg

Black or White - Other RAL colors

upon request









New room «Chapelle du Louvre» located in the Pavillon de l'Horloge – Louvre of Paris Museum @Spx Lighting









SPX Lighting - Offices: 10 rue des Marronniers 94 240 L'Hay Les Roses - France.

Factory : Zac des Coinchettes - 36 100 Issoudun - France.

Contacts +33 01 82 33 02 80 - contact@spx-lighting.com - www.spx-lighting.com

All rights reserved. Partial or complete reproductions is prohibited unless written permission of SPX Lighting. Information contained in this document does not contractually bind SPX Lighting. Despite the care SPX Lighting brings to the accuracy and precision of the present information, the responsibility of SPX Lighting can not be sought in case of inaccurate information. SPX Lighting reserves the right to change this information at any time without prior notice. SPX Lighting cannot be heliable for the consequences of the use of the present document. This publication does not imply any transfer of intellectual property rights.

Date of publication JANUARY 2024.






ILYAD Fresnel TW




Mounting versions


3 Circuit Track Adaptor




Tieback



Hook



Accessories







Filter Holder Ring



SPX Lighting - Offices: 10 rue des Marronniers 94 240 L'Hay Les Roses - France. Factory: Zac des Coinchettes - 36 100 Issoudun - France.

I accordy. Lace uses confictneties - 36 TOU ISSOUGUN - France.

Contacts +33 01 82 33 02 80 - contact@spx-lighting.com - www.spx-lighting.com on the first of the contact of the present o






ILYAD Fresnel TW



Colorimetry Data





VERSION 24A

SPX Lighting - Offices: 10 rue des Marronniers 94 240 L'Hay Les Roses - France. Factory: Zac des Coinchettes - 36 100 Issoudun - France.

Contacts +33 01 82 33 02 80 - contact@spx-lighting.com - www.spx-lighting.com

All rights reserved. Partial or complete reproductions is prohibited unless written permission of SPX Lighting. Information contained in this document does not contractually bind SPX Lighting. Despite the care SPX Lighting brings to the accuracy and precision of the present information. The responsibility of SPX Lighting can not be sought in case of inaccurate information. SPX Lighting reserves the right to change this information at any time without prior notice. SPX Lighting cannot be held liable for the consequences of the use of the present document. This publication does not imply any transfer of intellectual property rights.


Date of publication JANUARY 2024.



ILYAD Fresnel TW



Colorimetry Data





VERSION 24A

SPX Lighting - Offices: 10 rue des Marronniers 94 240 L'Hay Les Roses - France. Factory: Zac des Coinchettes - 36 100 Issoudun - France.

Contacts + 33 01 82 33 02 80 - contact@spx-lighting.com - www.spx-lighting.com
All dights reserved Partial or complete reproductions is prohibited unless written permission of SPX lighting. Information contained in this dor

All rights reserved. Partial or complete reproductions is prohibited unless written permission of SPX Lighting. Information contained in this document does not contractually bind SPX Lighting. Despite the care SPX Lighting brings to the accuracy and precision of the present information, the responsibility of SPX Lighting can not be sought in case of inaccurate information. SPX Lighting reserves the right to change this information at any time without prior notice. SPX Lighting cannot be heliable for the consequences of the use of the present document. This publication does not imply any transfer of intellectual property rights.


Date of publication JANUARY 2024.



ILYAD Fresnel TW



Colorimetry Data





VERSION 24A

SPX Lighting - Offices: 10 rue des Marronniers 94 240 L'Hay Les Roses - France. Factory: Zac des Coinchettes - 36 100 Issoudun - France.

Contacts +33 01 82 33 02 80 - contact@spx-lighting.com - www.spx-lighting.com

All rights reserved. Partial or complete reproductions is prohibited unless written permission of SPX Lighting. Information contained in this document does not contractually bind SPX Lighting. Despite the care SPX Lighting brings to the accuracy and precision of the present information. The responsibility of SPX Lighting can not be sought in case of inaccurate information. SPX Lighting reserves the right to change this information at any time without prior notice. SPX Lighting cannot be heliable for the consequences of the use of the present document. This publication does not imply any transfer of intellectual property rights.


Date of publication JANUARY 2024.




ILYAD Fresnel TW



Photometry Data



ILYAD F TW 2700K-6000K 42°



ILYAD F TW 2700K-6000K 61°





ILYAD Fresnel TW



Items References

Power Consumption	Mounting Versions	Dimming Control	Zoom	Color Temp	Black Finish	White Finish
40W	3 Circuits Track Adaptor	2 Potentiometer	42°	2 700K - 6 000K	PRI01752	PRI01764
40W	3 Circuits "Track Pulse" Adaptor	2 Potentiometer	61°	2 700K - 6000K	PRI01753	PRI01765
40W	3 Circuits "Track Pulse" Adaptor	DALI	42°	2 700K - 6 000K	PRI01756	PRI01768
40W	3 Circuits "Track Pulse" Adaptor	DALI	61°	2 700K - 6000K	PRI01757	PRI01769
40W	3 Circuits Track Adaptor	CASAMBI	42°	2 700K - 6 000K	PRI01760	PRI01772
40W	3 Circuits Track Adaptor	CASAMBI	61°	2 700K - 6000K	PRI01761	PRI01773
40W	HOOK	2 Potentiometer	42°	2 700K - 6 000K	PRI01776	PRI01788
40W	НООК	2 Potentiometer	61°	2 700K - 6000K	PRI01777	PRI01789
40W	НООК	DALI	42°	2 700K - 6 000K	PRI01780	PRI01792
40W	НООК	DALI	61°	2 700K - 6000K	PRI01781	PRI01793
40W	НООК	CASAMBI	42°	2 700K - 6 000K	PRI01784	PRI01796
40W	HOOK	CASAMBI	61°	2 700K - 6000K	PRI01785	PRI01797
40W	TIEBACK	2 Potentiometer	42°	2 700K - 6 000K	PRI01800	PRI01812
40W	TIEBACK	2 Potentiometer	61°	2 700K - 6000K	PRI01801	PRI01813
40W	TIEBACK	DALI	42°	2 700K - 6 000K	PRI01804	PRI01816
40W	TIEBACK	DALI	61°	2 700K - 6000K	PRI01805	PRI01817
40W	TIEBACK	CASAMBI	42°	2 700K - 6 000K	PRI01808	PRI01820
40W	TIEBACK	CASAMBI	61°	2 700K - 6000K	PRI01809	PRI01821





ILYAD Fresnel TW



Accessories References

ILYAD Barn doors Black	ACC00404
ILYAD Barn doors White	ACC00405
ILYAD Filter Holder Ring Black	ACC00414
ILYAD Accessory Holder Ring Black	ACC00415
ILYAD Accessory Holder Ring White	ACC00416

	BARN DOORS	ACCESSORY HOLDER RING	FILTER HOLDER
	ACC00404 ACC00405	ACC00415 ACC00416	ACC00414
BARN DOORS			
FILTER HOLDER			1
BARN DOOR + FILTER HOLDER	√	✓	\





