

ODYSSEE Range



5
YEARS
WARRANTY

ODYSSEE ZOOM

Luminaire fitted with a zoom optical system and a high-power LED.

Zoom range: 6° to 70°.

Particularly suitable for temporary exhibitions.

Tilt: 200°

Pan: 365°

Mounting options: 3-circuit track adapter, clamp or wall plate.

Other mounting options available on request.

Position maintained by friction with screw locking.

Dimmable via potentiometer, Casambi, DALI2 and DMX.



MANUFACTURING
DESIGN

Durability Score

9.1 / 10

Reliability — Repairability

Technical specifications

Light source type	LED
Led Power Rating	18 W
Beam angle	from 6° to 70°
Color temperature (SDCM3)	3 000K ou 4 000 K
Led nominal output	1 900 Lm 2 050 Lm
CRI (Ra)	> 97
Lumen maintenance L70B10	95 000 operating hours
Dimming/control	Potentiometer / DALI 2 / PHASE Casambi / DMX
Thermal dissipation	Passive
Housing materials	Body : anodized aluminium – painted steel Optical : polycarbonate
Weight	1,500 kg
Finish	Black or White - Other RAL colors upon request



Museum JAMAA EL FNA Marocco
@Spx Lighting



SPX Lighting - Offices : Magellan 7 rue Montespan 91 000 Evry Courcouronnes - France

Factory : Zac des Coinchettes - 36 100 Issoudun - France.

Contacts +33 01 82 33 02 80 - contact@spx-lighting.com - www.spx-lighting.com

All rights reserved. Partial or complete reproductions is prohibited unless written permission of SPX Lighting. Information contained in this document does not contractually bind SPX Lighting. Despite the care SPX Lighting brings to the accuracy and precision of the present information, the responsibility of SPX Lighting can not be sought in case of inaccurate information. SPX Lighting reserves the right to change this information at any time without prior notice. SPX Lighting cannot be held liable for the consequences of the use of the present document. This publication does not imply any transfer of intellectual property rights.

Date of publication February 2026.

VERSION 26B



ODYSSEE ZOMM

Colorimetry Data









Source: COB 3000K

Manufacturer: SPX LIGHTING

Date: 29/03/2024

Model: ODYSSEE zoom 3000K



Notes:

Indicative values varying around the typical value.

x 0.4296
y 0.4022
u' 0.2466
v' 0.5196

CIE 13.3-1995
(CRI)

R_a 98
R_g 96



SPX Lighting - Offices : Magellan 7 rue Montespan 91 000 Evry Courcouronnes - France

Factory : Zac des Coinchettes - 36 100 Issoudun - France.

Contacts +33 01 82 33 02 80 - contact@spx-lighting.com - www.spx-lighting.com

All rights reserved. Partial or complete reproductions is prohibited unless written permission of SPX Lighting. Information contained in this document does not contractually bind SPX Lighting. Despite the care SPX Lighting brings to the accuracy and precision of the present information, the responsibility of SPX Lighting can not be sought in case of inaccurate information. SPX Lighting reserves the right to change this information at any time without prior notice. SPX Lighting cannot be held liable for the consequences of the use of the present document. This publication does not imply any transfer of intellectual property rights.

Date of publication February 2026.

VERSION 26B



ODYSSEE

Colorimetry Data









Source: COB 4000K

Manufacturer: SPX LIGHTING

Date: 29/03/2024

Model: ODYSSEE Zoom 4000K



Notes:

Indicative values varying around the typical value.

x 0.3893
y 0.3893
u' 0.2259
v' 0.5083

CIE 13.3-1995 (CRI)

R_a	97
R_g	94



SPX Lighting - Offices : Magellan 7 rue Montespan 91 000 Evry Courcouronnes - France

Factory : Zac des Coinchettes - 36 100 Issoudun - France.

Contacts +33 01 82 33 02 80 - contact@spx-lighting.com - www.spx-lighting.com


All rights reserved. Partial or complete reproductions is prohibited unless written permission of SPX Lighting. Information contained in this document does not contractually bind SPX Lighting. Despite the care SPX Lighting brings to the accuracy and precision of the present information, the responsibility of SPX Lighting can not be sought in case of inaccurate information. SPX Lighting reserves the right to change this information at any time without prior notice. SPX Lighting cannot be held liable for the consequences of the use of the present document. This publication does not imply any transfer of intellectual property rights.

Date of publication February 2026.
VERSION 26B




ODYSSEE ZOOM

Photometry Data



ODYSSEE ZOOM 6.5° 3000K



ODYSSEE ZOOM 6.5° 4000K



SPX Lighting - Offices : Magellan 7 rue Montespan 91 000 Evry Courcouronnes - France

Factory : Zac des Coinchettes - 36 100 Issoudun - France.

Contacts +33 01 82 33 02 80 - contact@spx-lighting.com - www.spx-lighting.com

All rights reserved. Partial or complete reproductions is prohibited unless written permission of SPX Lighting. Information contained in this document does not contractually bind SPX Lighting. Despite the care SPX Lighting brings to the accuracy and precision of the present information, the responsibility of SPX Lighting can not be sought in case of inaccurate information. SPX Lighting reserves the right to change this information at any time without prior notice. SPX Lighting cannot be held liable for the consequences of the use of the present document. This publication does not imply any transfer of intellectual property rights.



Date of publication February 2026.

VERSION 26B



ODYSSEE ZOOM

Photometry Data



SPX Lighting - Offices : Magellan 7 rue Montespan 91 000 Evry Courcouronnes - France

Factory : Zac des Coinchettes - 36 100 Issoudun - France.

Contacts +33 01 82 33 02 80 - contact@spx-lighting.com - www.spx-lighting.com

All rights reserved. Partial or complete reproductions is prohibited unless written permission of SPX Lighting. Information contained in this document does not contractually bind SPX Lighting. Despite the care SPX Lighting brings to the accuracy and precision of the present information, the responsibility of SPX Lighting can not be sought in case of inaccurate information. SPX Lighting reserves the right to change this information at any time without prior notice. SPX Lighting cannot be held liable for the consequences of the use of the present document. This publication does not imply any transfer of intellectual property rights.

Date of publication February 2026.

VERSION 26B



ODYSSEE

Items References



Power consumption	Mounting versions	Dimming versions	Zoom	Color temperature	Black Finish	White Finish
25W	3 circuits track adaptor	Potentiometer	6>70°	3000K	PRI02600	PRI02608
25W	3 circuits track adaptor	Potentiometer	6>70°	4000K	PRI02601	PRI02609
25W	Pusle 3 circuits track adaptor	DALI	6>70°	3000K	PRI02602	PRI02610
25W	Pusle 3 circuits track adaptor	DALI	6>70°	4000K	PRI02603	PRI02611
25W	Adaptateur Rail 3ALL	CASAMBI	6>70°	3000K	PRI02604	PRI02612
25W	Adaptateur Rail 3ALL	CASAMBI	6>70°	4000K	PRI02605	PRI02613
25W	Adaptateur Rail 3ALL	PHASE	6>70°	3000K	PRI02606	PRI02614
25W	Adaptateur Rail 3ALL	PHASE	6>70°	4000K	PRI02607	PRI02615
25W	HOOK	Potentiometer	6>70°	3000K	PRI02616	PRI02624
25W	HOOK	Potentiometer	6>70°	4000K	PRI02617	PRI02625
25W	HOOK	DALI	6>70°	3000K	PRI02618	PRI02626
25W	HOOK	DALI	6>70°	4000K	PRI02619	PRI02627
25W	HOOK	CASAMBI	6>70°	3000K	PRI02620	PRI02628
25W	HOOK	CASAMBI	6>70°	4000K	PRI02621	PRI02629
25W	HOOK	PHASE	6>70°	3000K	PRI02622	PRI02630
25W	HOOK	PHASE	6>70°	4000K	PRI02623	PRI02631
25W	TIEBACK	Potentiometer	6>70°	3000K	PRI02632	PRI02640
25W	TIEBACK	Potentiometer	6>70°	4000K	PRI02633	PRI02641
25W	TIEBACK	DALI	6>70°	3000K	PRI02634	PRI02642
25W	TIEBACK	DALI	6>70°	4000K	PRI02635	PRI02643
25W	TIEBACK	CASAMBI	6>70°	3000K	PRI02636	PRI02644
25W	TIEBACK	CASAMBI	6>70°	4000K	PRI02637	PRI02645
25W	TIEBACK	PHASE	6>70°	3000K	PRI02638	PRI02646
25W	TIEBACK	PHASE	6>70°	4000K	PRI02639	PRI02647



SPX Lighting - Offices : Magellan 7 rue Montespan 91 000 Evry Courcouronnes - France

Factory : Zac des Coinchettes - 36 100 Issoudun - France.

Contacts +33 01 82 33 02 80 - contact@spx-lighting.com - www.spx-lighting.com

All rights reserved. Partial or complete reproductions is prohibited unless written permission of SPX Lighting. Information contained in this document does not contractually bind SPX Lighting. Despite the care SPX Lighting brings to the accuracy and precision of the present information, the responsibility of SPX Lighting can not be sought in case of inaccurate information. SPX Lighting reserves the right to change this information at any time without prior notice. SPX Lighting cannot be held liable for the consequences of the use of the present document. This publication does not imply any transfer of intellectual property rights.
Date of publication February 2026.

VERSION 26B



ODYSSEE

Accessories Items



ODYSSEE Barn Doors Black	ACC00429
ODYSSEE Barn Doors white	ACC00430
ODYSSEE Elliptical filter	ACC00435
ODYSSEE Accessory Holder Ring Black	ACC00415

	BARNDOORS ACC00429 ACC00430	ACCESSORY HOLDER RING ACC00431	ELLIPTICAL FILTER ACC00435
			
BARNDOORS	✓		
HOLDER FILTER		✓	✓
BARNDOORS + HOLDER FILTER	✓	✓	✓



SPX Lighting Factory - Issoudun - France



SPX Lighting - Offices : Magellan 7 rue Montespan 91 000 Evry Courcouronnes - France

Factory : Zac des Coinchettes - 36 100 Issoudun - France.

Contacts +33 01 82 33 02 80 - contact@spx-lighting.com - www.spx-lighting.com

All rights reserved. Partial or complete reproductions is prohibited unless written permission of SPX Lighting. Information contained in this document does not contractually bind SPX Lighting. Despite the care SPX Lighting brings to the accuracy and precision of the present information, the responsibility of SPX Lighting can not be sought in case of inaccurate information. SPX Lighting reserves the right to change this information at any time without prior notice. SPX Lighting cannot be held liable for the consequences of the use of the present document. This publication does not imply any transfer of intellectual property rights.

Date of publication February 2026.

VERSION 26B

