



**5
YEARS
WARRANTY**

ILYAD Wash LP18

Indoor projector for wall washing purposes.
Projector equipped with a high-power LED.
Asymmetrical distribution for a homogenous wall washing effect.


Tilt 146°.

Azimuth 365°.

Several mounting possibilities : 3 circuits track adaptor, hook mounting, tieback mounting. Other mounting options on demand.

Handle free.


Adjustments and positions maintained by friction and locking screw.



Durability Score
 **9.1** /10
 Reliability  Repairability

Technical specifications

Light source type	LED
Led Power Rating	18W
Beam angle	asymmetrical
Color temperature (Step Macadam (SDCM2)	3 000 K - 4 000 K
Led nominal output	1 900 lm - 2 050 lm
CRI (Ra)	97
R9	> 90
Lumen maintenance L80B10	100 000 operating hours
Dimming/control	Potentiometer (on board dimming)/ DALI 2 / Phase / Casambi
Thermal dissipation	Passive
Housing materials	Body : anodized aluminium – painted steel Reflector : polycarbonate
Weight	1,400 kg
Finish	Black or White - Other RAL colors upon request



Armenian Heritage Centre - Valence – France
Architecte Y Architecture - @Spx Lighting



SPX Lighting - Offices : Magellan 7 rue Montespan 91 000 Evry Courcouronnes - France

Factory : Zac des Coinchettes - 36 100 Issoudun - France.

Contacts +33 01 82 33 02 80 - contact@spx-lighting.com - www.spx-lighting.com

All rights reserved. Partial or complete reproductions is prohibited unless written permission of SPX Lighting. Information contained in this document does not contractually bind SPX Lighting. Despite the care SPX Lighting brings to the accuracy and precision of the present information, the responsibility of SPX Lighting can not be sought in case of inaccurate information. SPX Lighting reserves the right to change this information at any time without prior notice. SPX Lighting cannot be held liable for the consequences of the use of the present document. This publication does not imply any transfer of intellectual property rights.

Date of publication February 2026.

VERSION 26B




ILYAD Wash LP 18




Mounting versions


3 Circuits Track Adaptor



Tieback



Hook





ILYAD Wash LP 18



Colorimetry Data





Source: COB 3000K

Date: 22/07/2022



Manufacturer: SPX LIGTHING

Model: ILYAD 3000K



Notes:

Values given as an indication, varying around the typical value.

 x **0.4362** y **0.4085** u' **0.2482** v' **0.5230**

CIE 13.3-1995
(CRI)

 R_a 98 R_g 100

SPX Lighting - Offices : Magellan 7 rue Montespan 91 000 Evry Courcouronnes - France

Factory : Zac des Coinchettes - 36 100 Issoudun - France.

Contacts +33 01 82 33 02 80 - contact@spx-lighting.com - www.spx-lighting.com

All rights reserved. Partial or complete reproductions is prohibited unless written permission of SPX Lighting. Information contained in this document does not contractually bind SPX Lighting. Despite the care SPX Lighting brings to the accuracy and precision of the present information, the responsibility of SPX Lighting can not be sought in case of inaccurate information. SPX Lighting reserves the right to change this information at any time without prior notice. SPX Lighting cannot be held liable for the consequences of the use of the present document. This publication does not imply any transfer of intellectual property rights.

Date of publication February 2026.

VERSION 26B





ILYAD Wash LP 18



Colorimetry Data





Source: COB 4000K

Date: 22/07/2022



Manufacturer: SPX LIGTHING

Model: ILYAD 4000K



Notes:

Values given as an indication, varying around the typical value.

 $x = 0.3925$ $y = 0.3962$ $u' = 0.2253$ $v' = 0.5116$

CIE 13.3-1995

(CRI)

 $R_a = 94$ $R_g = 83$ 

SPX Lighting - Offices : Magellan 7 rue Montespan 91 000 Evry Courcouronnes - France

Factory : Zac des Coinchettes - 36 100 Issoudun - France.

Contacts +33 01 82 33 02 80 - contact@spx-lighting.com - www.spx-lighting.com

All rights reserved. Partial or complete reproductions is prohibited unless written permission of SPX Lighting. Information contained in this document does not contractually bind SPX Lighting. Despite the care SPX Lighting brings to the accuracy and precision of the present information, the responsibility of SPX Lighting can not be sought in case of inaccurate information. SPX Lighting reserves the right to change this information at any time without prior notice. SPX Lighting cannot be held liable for the consequences of the use of the present document. This publication does not imply any transfer of intellectual property rights.


Date of publication February 2026.

VERSION 26B




ILYAD Wash LP 18


Photometry Data



D	lux	L	W	A
0.5	950	0.9	1.1	0.9
1	238	1.8	2.2	1.7
2	59	3.6	4.3	3.5
3	26	5.3	6.5	5.2




ILYAD W LP18 3000K




ILYAD Wash LP 18


Photometry Data



D	lux	L	W	A
0.5	1025	0.9	1.1	0.9
1	256	1.8	2.2	1.7
2	64	3.6	4.3	3.5
3	28	5.3	6.5	5.2



ILYAD W LP18 4000K



ILYAD Wash LP 18

Items References



Power Consumption	Mounting Versions	Dimming Control	Zoom	Color Temp	Black Finish	White Finish
21W	3 Circuits Track Adaptator	Potentiometer	ASY	Warm White	PRI01230	PRI01231
21W	3 Circuits Track Adaptator	Potentiometer	ASY	Neutral White	PRI01232	PRI01233
21W	3 Circuits Track Adaptator Pulse	DALI	ASY	Warm White	PRI01234	PRI01235
21W	3 Circuits Track Adaptator Pulse	DALI	ASY	Neutral White	PRI01236	PRI01237
21W	3 Circuits Track Adaptator	CASAMBI	ASY	Warm White	PRI01238	PRI01239
21W	3 Circuits Track Adaptator	CASAMBI	ASY	Neutral White	PRI01240	PRI01241
21W	3 Circuits Track Adaptator	PHASE	ASY	Warm White	PRI01266	PRI01267
21W	3 Circuits Track Adaptator	PHASE	ASY	Neutral White	PRI01268	PRI01269
21W	TIEBACK	Potentiometer	ASY	Warm White	PRI01242	PRI01243
21W	TIEBACK	Potentiometer	ASY	Neutral White	PRI01244	PRI01245
21W	TIEBACK	DALI	ASY	Warm White	PRI01246	PRI01247
21W	TIEBACK	DALI	ASY	Neutral White	PRI01248	PRI01249
21W	TIEBACK	CASAMBI	ASY	Warm White	PRI01250	PRI01251
21W	TIEBACK	CASAMBI	ASY	Neutral White	PRI01252	PRI01253
21W	TIEBACK	PHASE	ASY	Warm White	PRI01270	PRI01271
21W	TIEBACK	PHASE	ASY	Neutral White	PRI01272	PRI01273
21W	HOOK	Potentiometer	ASY	Warm White	PRI01254	PRI01255
21W	HOOK	Potentiometer	ASY	Neutral White	PRI01256	PRI01257
21W	HOOK	DALI	ASY	Warm White	PRI01258	PRI01259
21W	HOOK	DALI	ASY	Neutral White	PRI01260	PRI01261
21W	HOOK	CASAMBI	ASY	Warm White	PRI01262	PRI01263
21W	HOOK	CASAMBI	ASY	Neutral White	PRI01264	PRI01265
21W	HOOK	PHASE	ASY	Warm White	PRI01274	PRI01275
21W	HOOK	PHASE	ASY	Neutral White	PRI01276	PRI01277



Factory SPX Lighting - Issoudun - France



SPX Lighting - Offices : Magellan 7 rue Montespan 91 000 Evry Courcouronnes - France

Factory : Zac des Coinchettes - 36 100 Issoudun - France.

Contacts +33 01 82 33 02 80 - contact@spx-lighting.com - www.spx-lighting.com

All rights reserved. Partial or complete reproductions is prohibited unless written permission of SPX Lighting. Information contained in this document does not contractually bind SPX Lighting. Despite the care SPX Lighting brings to the accuracy and precision of the present information, the responsibility of SPX Lighting can not be sought in case of inaccurate information. SPX Lighting reserves the right to change this information at any time without prior notice. SPX Lighting cannot be held liable for the consequences of the use of the present document. This publication does not imply any transfer of intellectual property rights.

Date of publication February 2026.

VERSION 26B

